



Annual Report 2022



Vision

To serve our community with integrity and be the standard by which fire service organizations are measured.

Mission

The City of Dalton Fire Department is dedicated to providing our community with the highest standard of service through prevention, public education, training, and emergency response.

Organizational Values

Integrity - firm adherence to honesty and our code of ethics

Accountability – our obligation and willingness to accept responsibility and account for our actions

Discipline – behavior and order maintained by training, self-control, and adherence to our rules of conduct

Responsibility – our obligation to serve with reliability, trustworthiness, and professionalism

Table of Contents

Fire Chief's Message.....	1
Department Overview.....	2
Statistical Data	3
Fire Prevention Division Report.....	27
Training Division Report.....	30
Continuing Education.....	31

DALTON FIRE DEPARTMENT

TODD PANGLE
Fire Chief
Telephone 706-278-7363
Fax 706-272-7107
tpangle@daltonga.gov

404 School Street
Dalton, GA 30720



PUBLIC SAFETY COMMISSION
Truman Whitfield
Terry Mathis
Anthony Walker
Alex Brown



It is my pleasure to present the City of Dalton Fire Department Annual Report for 2022. The information contained in this report is a reflection of the combined efforts of the outstanding men and women who proudly serve our department and our community. We are proud of the service we provide to the citizens and visitors of the City of Dalton and we want to share some of our statistics as well as showcase our accomplishments.

We constantly strive to maintain a high level of service and continue to provide the highest level of safety to our community. We will continue to accomplish this by focusing on the mission and core values of our organization. Our agency will continue to prepare for, not only day-to-day challenges, but the ones on the horizon that we will be faced with in the future.



Todd Pangle
Fire Chief

Department Overview

The City of Dalton Fire Department is an ISO Class 2 emergency service provider consisting of 97 full-time employees. 87 personnel are assigned to the suppression division as firefighters. Additional personnel are assigned to the training division, fire prevention division, and as administrative staff. The department has 36 Emergency Medical Technicians, 3 Paramedics, 57 Emergency Medical Responders, 28 certified Georgia Smoke Divers, and 12 CPR instructors. Training hours accrued during 2022 totaled 35,581.

The department has Special Operations Teams trained in technical rescue and hazardous materials response. These teams are adept at mitigating incidents such as trench rescue, structural collapse, vehicle and machinery entrapment, surface water rescue, high and low angle rope operations, confined space rescue and hazardous materials releases.

Emergency response capabilities are achieved through the use of seven pumping apparatus, one 100-foot tower ladder, one 75-foot straight ladder, one heavy rescue apparatus, one incident command vehicle, and one mobile air & light unit, all of which are fully equipped to comply with NFPA and ISO requirements. Thermal imaging cameras, which allow for enhanced visibility in hostile environments, are carried in all 5 districts so that all the city's inhabitants may benefit from this technology.

The department has 5 stations located to provide rapid response to any part of the city's 22 square miles. Station 2, located on Abutment Road, also serves as a training facility with a water drafting pit, four story drill tower, and a three story, 1,664 sq. ft. burn building designed for the burning of Class A materials in all areas of the structure. This facility is utilized to train new recruits and maintain proficiency among incumbent personnel. All fire stations are equipped with stand-by generators to provide electrical power in the event of an outage. Stations are also equipped with a communications duplication system to ensure that the vital link between fire dispatchers and units operating in the field remains intact should the 911 center be disabled.

The City of Dalton has a total of 1,252 municipal fire hydrants. These hydrants are inspected a minimum of twice annually by suppression personnel. The department works closely with Dalton Utilities in an effort to ensure that hydrants will function properly if needed. In addition, there are over 500 private hydrants located in various parts of our jurisdiction serving a variety of private properties.

The fire prevention division works closely with the building inspector's office and Dalton Utilities in an effort to reduce the loss of life and property by requiring that all construction meets current fire codes.



Dalton Fire Department

404 School Street, Dalton, GA 30720

Phone: 706-278-7363

Detailed Selected Statistics and Management Activity

By Incident Type

Report Period: 01/01/22 - 12/31/22 23:59:59

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
111	Building fire	36	0.95%	4	16.56	0.03	1.58	5.28	0.03	1.31	48.39	1006.099976	4.02
112	Fires in structure other than in a building	4	0.11%	0	14	0	1	4.25	0.00	1	20.19	56.799998	4.42
113	Cooking fire, confined to container	7	0.19%	0	11.57	0	0.86	3.71	0.00	0.86	5.39	29.999995	4.07
115	Incinerator overload or malfunction, fire confined	1	0.03%	0	11	0	2	3	0.00	1	4.98	3.916666	5.83
117	Commercial Compactor fire, confined to rubbish	2	0.05%	0	10.5	0	1	3.5	0.00	0.5	58.65	20.433333	5.11
118	Trash or rubbish fire, contained	13	0.34%	0	5.38	0	0.46	1.69	0.00	0.46	2.22	24.649997	3.63
123	Fire in portable building, fixed location	2	0.05%	1	27	0	3.5	9	0.00	2.5	1,116.81	119.216666	5.56
130	Mobile property (vehicle) fire, other	1	0.03%	0	3	0	0	1	0.00	0	1.35	1.250000	5.95
131	Passenger vehicle fire	14	0.37%	1	8.57	0	0.79	2.71	0.00	0.5	8.20	107.799997	3.81
132	Road freight or transport vehicle fire	2	0.05%	0	11	0	0.5	3.5	0.00	0.5	24.53	52.066666	5.90
141	Forest, woods or wildland fire	1	0.03%	0	3	0	0	1	0.00	0	2.45	2.450000	11.07
142	Brush or brush-and-grass mixture fire	15	0.40%	0	7.07	0	0.6	2.2	0.00	0.33	4.88	65.499996	4.56
143	Grass fire	4	0.11%	0	3	0	0	1	0.00	0	0.76	3.050000	4.85

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
150	Outside rubbish fire, other	1	0.03%	0	12	0	1	4	0.00	1	18.85	18.600000	3.13
151	Outside rubbish, trash or waste fire	7	0.19%	0	6.86	0	0.14	2.29	0.00	0.14	2.98	28.833333	4.17
154	Dumpster or other outside trash receptacle fire	9	0.24%	0	5.78	0	0.33	1.89	0.00	0.22	3.25	22.733333	4.04
160	Special outside fire, other	1	0.03%	0	3	0	0	1	0.00	0	0.85	.850000	5.60
161	Outside storage fire	1	0.03%	0	15	0	1	5	0.00	1	5.60	3.200000	5.72
162	Outside equipment fire	1	0.03%	0	17	0	1	5	0.00	1	7.20	4.216666	2.20
243	Fireworks explosion (no fire)	1	0.03%	0	3	0	1	1	0.00	1	0.33	.250000	2.75
251	Excessive heat, scorch burns with no ignition	14	0.37%	0	12.14	0	1.21	4	0.00	0.93	7.92	95.116660	4.10
311	Medical assist, assist EMS crew	2,217	58.76%	0	0.01	3.16	0.03	0	1.01	0.01	1.01	2219.599883	4.71
320	Emergency medical service incident, other	1	0.03%	0	0	3	0	0	1.00	0	1.25	1.250000	2.82
322	Motor vehicle accident with injuries	200	5.30%	0	0.33	5.3	0.37	0.11	1.72	0.25	3.53	571.949963	3.75
323	Motor vehicle/pedestrian accident (MV Ped)	17	0.45%	0	0	5.06	0.47	0	1.65	0.41	3.03	50.949996	3.48
324	Motor vehicle accident with no injuries.	84	2.23%	0	0.67	4.7	0.32	0.21	1.54	0.23	2.79	170.233320	3.96
331	Lock-in (if lock out , use 511)	1	0.03%	0	0	3	0	0	1.00	0	0.15	.150000	0.00
351	Extrication of victim(s) from building/structure	2	0.05%	0	2	5	0.5	0.5	1.50	0.5	3.81	9.449999	5.48
352	Extrication of victim(s) from vehicle	1	0.03%	0	5	0	1	2	0.00	1	7.50	7.433333	2.83
353	Removal of victim(s) from stalled elevator	9	0.24%	0	5.11	0.67	0	1.67	0.22	0	2.78	23.683333	4.72
410	Combustible/flammable gas/liquid condition, other	3	0.08%	0	8.33	0	0.67	2.67	0.00	0.67	3.20	8.750000	2.82

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
411	Gasoline or other flammable liquid spill	6	0.16%	0	5.33	0	0.17	1.83	0.00	0.17	4.57	22.816666	5.10
412	Gas leak (natural gas or LPG)	19	0.50%	0	9.53	0	1	3.11	0.00	0.84	6.49	100.399997	3.76
413	Oil or other combustible liquid spill	1	0.03%	0	6	0	0	2	0.00	0	7.70	7.700000	3.52
422	Chemical spill or leak	1	0.03%	0	10	0	1	3	0.00	1	15.22	11.416666	3.88
424	Carbon monoxide incident	5	0.13%	0	5.6	0	1.4	2	0.00	0.8	3.55	14.799998	4.00
440	Electrical wiring/equipment problem, other	4	0.11%	0	6.25	0	0.5	2	0.00	0.25	3.68	12.183332	4.56
441	Heat from short circuit (wiring), defective/worn	6	0.16%	0	12.5	0	0.83	4	0.00	0.83	5.96	24.016663	4.73
442	Overheated motor	3	0.08%	0	7.33	0	0.33	2	0.00	0.33	1.83	6.299998	2.35
443	Breakdown of light ballast	1	0.03%	0	15	0	1	5	0.00	1	7.73	6.033333	3.02
444	Power line down	36	0.95%	0	3.72	0	0.14	1.17	0.00	0.11	2.53	89.749995	4.93
445	Arcing, shorted electrical equipment	21	0.56%	0	8.38	0	0.57	2.71	0.00	0.48	5.01	68.366660	5.01
461	Building or structure weakened or collapsed	7	0.19%	0	4.71	0	0.43	1.57	0.00	0.43	2.33	15.016665	4.38
500	Service Call, other	31	0.82%	0	2.74	0.19	0.13	0.9	0.06	0.06	1.13	35.333333	5.60
510	Person in distress, other	1	0.03%	0	0	3	0	0	1.00	0	0.40	.400000	0.00
511	Lock-out	2	0.05%	0	3.5	0	0	1	0.00	0	1.63	3.550000	3.55
512	Ring or jewelry removal	1	0.03%	0	0	5	0	0	1.00	0	1.17	1.166666	0.77
520	Water problem, other	4	0.11%	0	4	0	0.5	1.25	0.00	0.25	4.41	16.683333	5.16
522	Water or steam leak	24	0.64%	0	6.67	0	0.38	2.08	0.00	0.38	5.07	103.933327	4.77

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
531	Smoke or odor removal	2	0.05%	0	14	0	1	4.5	0.00	1	7.37	8.716666	4.14
542	Animal rescue	2	0.05%	0	4.5	0	0	1.5	0.00	0	1.76	2.700000	7.95
550	Public service assistance, other	2	0.05%	0	3	0	0	1	0.00	0	1.47	2.950000	5.28
551	Assist police or other governmental agency	9	0.24%	0	2.44	2.22	0.22	0.78	0.67	0.22	2.81	35.866665	3.18
553	Public service	18	0.48%	0	2.61	0.67	0.11	0.83	0.22	0.11	1.17	21.849999	4.22
554	Assist invalid	1	0.03%	0	6	0	0	2	0.00	0	1.80	1.600000	6.12
561	Unauthorized burning	23	0.61%	0	5.78	0	0.52	1.83	0.00	0.35	1.68	30.333325	4.44
600	Good intent call, other	1	0.03%	0	6	0	1	2	0.00	1	3.62	3.333333	7.62
611	Dispatched & canceled en route	265	7.02%	0	2.51	2.64	0.31	0.8	0.84	0.23	0.36	74.499959	0.61
622	No incident found on arrival at dispatch address	71	1.88%	0	3.2	2.04	0.39	1.06	0.66	0.27	1.06	82.249986	4.27
631	Authorized controlled burning	3	0.08%	0	3	0	0	1	0.00	0	1.05	3.150000	3.09
650	Steam, other gas mistaken for smoke, other	2	0.05%	0	3	0	0	1	0.00	0	0.68	1.350000	6.76
651	Smoke scare, odor of smoke	39	1.03%	0	8.69	0	0.69	2.74	0.00	0.54	3.08	127.733320	4.25
652	Steam, vapor, fog or dust thought to be smoke	3	0.08%	0	8.33	0	0.67	2.67	0.00	0.67	2.65	7.883332	3.48
653	Smoke from barbecue, tar kettle	2	0.05%	0	9	0	1	3	0.00	0.5	1.25	1.666666	3.25
671	HazMat release investigation w/no HazMat	10	0.27%	0	10.3	0	0.9	3.2	0.00	0.6	6.83	36.583328	3.29
700	False alarm or false call, other	3	0.08%	0	14	0	1	4.67	0.00	1	2.83	6.916665	4.54
710	Malicious, mischievous false call, other	1	0.03%	0	12	0	2	4	0.00	1	3.73	1.983333	2.95
711	Municipal alarm system, malicious false alarm	3	0.08%	0	12	0	1	4	0.00	1	2.74	5.833333	3.09

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPS	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
714	Central station, malicious false alarm	5	0.13%	0	10.8	0	1.2	3.6	0.00	0.8	4.12	10.883331	8.14
715	Local alarm system, malicious false alarm	4	0.11%	0	11	0	1.75	3.5	0.00	1.25	3.24	9.299999	2.71
721	Bomb scare - no bomb	2	0.05%	0	15.5	0	1	4.5	0.00	1	21.86	40.016664	4.65
730	System malfunction, other	4	0.11%	0	9.75	0	3	3.25	0.00	1.5	3.93	13.183332	5.30
731	Sprinkler activation due to malfunction	14	0.37%	0	11.21	0	0.79	3.64	0.00	0.71	6.43	60.899995	3.81
732	Extinguishing system activation due to malfunction	3	0.08%	0	12.33	1	1.67	3.67	0.33	1	8.50	22.916666	4.72
733	Smoke detector activation due to malfunction	43	1.14%	0	12.16	0	1.02	3.88	0.00	0.91	4.98	144.166639	4.23
734	Heat detector activation due to malfunction	3	0.08%	0	12.33	0	1.33	3.67	0.00	0.67	3.95	10.633332	2.86
735	Alarm system sounded due to malfunction	67	1.78%	0	12.22	0	1.12	3.87	0.00	0.96	5.36	239.116629	4.47
736	CO detector activation due to malfunction	4	0.11%	0	5.5	0	0.75	1.75	0.00	0.5	3.28	12.083332	4.50
740	Unintentional transmission of alarm, other	11	0.29%	0	10.55	0	0.91	3.36	0.00	0.73	2.17	17.633328	4.50
741	Sprinkler activation, no fire - unintentional	19	0.50%	0	11.47	0.16	1.11	3.74	0.05	1	6.57	93.433324	4.55
742	Extinguishing system activation	1	0.03%	0	14	0	1	4	0.00	1	12.00	4.300000	4.73
743	Smoke detector activation, no fire - unintentional	121	3.21%	0	12.13	0	1.29	3.88	0.00	1.01	3.24	282.883268	4.25
744	Detector activation, no fire - unintentional	26	0.69%	0	12.5	0	1.15	4	0.00	1	3.17	58.066650	4.18
745	Alarm system activation, no fire - unintentional	138	3.66%	0	12	0.02	1.1	3.85	0.01	0.93	3.68	348.449928	4.31
746	Carbon monoxide detector activation, no CO	1	0.03%	0	6	0	0	2	0.00	0	1.80	1.300000	7.43
813	Wind storm, tornado/hurricane assessment	1	0.03%	0	3	0	2	1	0.00	1	3.83	2.400000	5.27

CODE	DESCRIPTOR	FREQUENCY	FREQ. PERCENT	EXPs	AVG # SUPPR. PERS	AVG # EMS PERS	AVG # OTHER PERS	AVG # SUPPR. APPR.	AVG # EMS APPR.	AVG # OTHER APPR.	AVERAGE # MAN HOURS	TOTAL MAN HOURS	AVERAGE RESPONSE TIME (min)
911	Citizen complaint	1	0.03%	0	3	0	0	1	0.00	0	0.90	.900000	9.63
Totals		3,773	100%	6	2.65	2.51	0.29	0.85	0.80	0.22	2.94	7,100.12	4.26
Mutual Aid Given Incidents		185											



Dalton Fire Department

404 School Street, Dalton, GA 30720

Phone: 706-278-7363

Response Summary by Station

Report Period: 01/01/22 - 12/31/22 23:59:59

Station	Responses	% Fire	% EMS	Other	Per Day
Station 1	1537	4.03	67.14	28.82	4.22
Station 2	715	5.03	59.3	35.66	1.96
Station 3	841	2.14	68.25	29.61	2.31
Station 4	469	1.71	63.75	34.54	1.29
Station 5	392	3.06	67.09	29.85	1.08

Total 3954



Dalton Fire Department

404 School Street, Dalton, GA 30720

Phone: 706-278-7363

Breakdown by Incident Type

Report Period: 01/01/22 - 12/31/22 23:59:59

Incident Type	Incidents	Exposures
311 Medical assist, assist EMS crew	2228	0
611 Dispatched & canceled en route	331	0
322 Motor vehicle accident with injuries	231	0
745 Alarm system activation, no fire - unintentional	146	0
743 Smoke detector activation, no fire - unintentional	124	0
324 Motor vehicle accident with no injuries.	100	0
622 No incident found on arrival at dispatch address	78	0
735 Alarm system sounded due to malfunction	71	0
733 Smoke detector activation due to malfunction	43	0
651 Smoke scare, odor of smoke	41	0
444 Power line down	38	0
111 Building fire	35	4
500 Service Call, other	31	0
744 Detector activation, no fire - unintentional	26	0
561 Unauthorized burning	25	0
522 Water or steam leak	24	0
445 Arcing, shorted electrical equipment	24	0
741 Sprinkler activation, no fire - unintentional	21	0
412 Gas leak (natural gas or LPG)	20	0
142 Brush or brush-and-grass mixture fire	19	0
323 Motor vehicle/pedestrian accident (MV Ped)	19	0
553 Public service	18	0
118 Trash or rubbish fire, contained	16	0
131 Passenger vehicle fire	16	1


Incident Type	Incidents	Exposures
251 Excessive heat, scorch burns with no ignition	14	0
731 Sprinkler activation due to malfunction	14	0
740 Unintentional transmission of alarm, other	11	0
671 HazMat release investigation w/no HazMat	10	0
551 Assist police or other governmental agency	9	0
154 Dumpster or other outside trash receptacle fire	9	0
151 Outside rubbish, trash or waste fire	9	0
353 Removal of victim(s) from stalled elevator	9	0
461 Building or structure weakened or collapsed	7	0
113 Cooking fire, confined to container	7	0
411 Gasoline or other flammable liquid spill	7	0
441 Heat from short circuit (wiring), defective/worn	6	0
424 Carbon monoxide incident	6	0
132 Road freight or transport vehicle fire	5	0
143 Grass fire	5	0
714 Central station, malicious false alarm	5	0
440 Electrical wiring/equipment problem, other	4	0
410 Combustible/flammable gas/liquid condition, other	4	0
700 False alarm or false call, other	4	0
715 Local alarm system, malicious false alarm	4	0
736 CO detector activation due to malfunction	4	0
112 Fires in structure other than in a building	4	0
520 Water problem, other	4	0
652 Steam, vapor, fog or dust thought to be smoke	4	0
730 System malfunction, other	4	0
631 Authorized controlled burning	3	0
734 Heat detector activation due to malfunction	3	0
711 Municipal alarm system, malicious false alarm	3	0
413 Oil or other combustible liquid spill	3	0
442 Overheated motor	3	0

Incident Type	Incidents	Exposures
732 Extinguishing system activation due to malfunction	3	0
117 Commercial Compactor fire, confined to rubbish	2	0
531 Smoke or odor removal	2	0
650 Steam, other gas mistaken for smoke, other	2	0
542 Animal rescue	2	0
351 Extrication of victim(s) from building/structure	2	0
550 Public service assistance, other	2	0
511 Lock-out	2	0
721 Bomb scare - no bomb	2	0
653 Smoke from barbecue, tar kettle	2	0
123 Fire in portable building, fixed location	2	1
600 Good intent call, other	1	0
710 Malicious, mischievous false call, other	1	0
512 Ring or jewelry removal	1	0
911 Citizen complaint	1	0
141 Forest, woods or wildland fire	1	0
320 Emergency medical service incident, other	1	0
115 Incinerator overload or malfunction, fire confined	1	0
443 Breakdown of light ballast	1	0
510 Person in distress, other	1	0
150 Outside rubbish fire, other	1	0
746 Carbon monoxide detector activation, no CO	1	0
352 Extrication of victim(s) from vehicle	1	0
243 Fireworks explosion (no fire)	1	0
160 Special outside fire, other	1	0
331 Lock-in (if lock out , use 511)	1	0
161 Outside storage fire	1	0
162 Outside equipment fire	1	0
422 Chemical spill or leak	1	0
554 Assist invalid	1	0

Incident Type	Incidents	Exposures
130 Mobile property (vehicle) fire, other	1	0
742 Extinguishing system activation	1	0
813 Wind storm, tornado/hurricane assessment	1	0

	Incidents	Exposures
Total	3954	6

- 2022-01
- 2022-02
- 2022-03
- 2022-04
- 2022-05
- 2022-06
- 2022-07
- 2022-08
- 2022-09
- 2022-10
- 2022-11
- 2022-12




Total of Month: 3,954

- Station 1
- Station 2
- Station 3
- Station 4
- Station 5

Incidents by Stations

01/01/22-12/31/22




Total of Station: 3,954

- Station 1
- Station 2
- Station 3
- Station 4
- Station 5

Average Response Time by Station

01/01/22-12/31/22



Total of Station: 4:38



Dalton Fire Department

404 School Street, Dalton, GA 30720

Phone: 706-278-7363

Staff Hours by Incident Type

Report Period: 01/01/22 - 12/31/22 23:59:59

Incident Type	Hours
311 Medical assist, assist EMS crew	2240.19
111 Building fire	1038.75
322 Motor vehicle accident with injuries	621.11
745 Alarm system activation, no fire - unintentional	354.94
743 Smoke detector activation, no fire - unintentional	284.22
735 Alarm system sounded due to malfunction	242.72
324 Motor vehicle accident with no injuries.	206.80
733 Smoke detector activation due to malfunction	144.17
651 Smoke scare, odor of smoke	130.58
123 Fire in portable building, fixed location	119.22
131 Passenger vehicle fire	111.09
522 Water or steam leak	103.93
611 Dispatched & canceled en route	101.60
412 Gas leak (natural gas or LPG)	101.25
741 Sprinkler activation, no fire - unintentional	95.24
251 Excessive heat, scorch burns with no ignition	95.12
444 Power line down	94.71
622 No incident found on arrival at dispatch address	86.43
445 Arcing, shorted electrical equipment	75.31
142 Brush or brush-and-grass mixture fire	69.28
731 Sprinkler activation due to malfunction	60.91
132 Road freight or transport vehicle fire	59.06
744 Detector activation, no fire - unintentional	58.08
112 Fires in structure other than in a building	56.81

Incident Type	Hours
323 Motor vehicle/pedestrian accident (MV Ped)	53.70
721 Bomb scare - no bomb	40.01
671 HazMat release investigation w/no HazMat	36.58
551 Assist police or other governmental agency	35.87
500 Service Call, other	35.33
151 Outside rubbish, trash or waste fire	34.66
561 Unauthorized burning	32.39
118 Trash or rubbish fire, contained	30.55
113 Cooking fire, confined to container	30.01
441 Heat from short circuit (wiring), defective/worn	24.02
353 Removal of victim(s) from stalled elevator	23.68
411 Gasoline or other flammable liquid spill	23.16
732 Extinguishing system activation due to malfunction	22.92
154 Dumpster or other outside trash receptacle fire	22.73
553 Public service	21.85
117 Commercial Compactor fire, confined to rubbish	20.43
150 Outside rubbish fire, other	18.60
740 Unintentional transmission of alarm, other	17.64
520 Water problem, other	16.68
424 Carbon monoxide incident	16.24
461 Building or structure weakened or collapsed	15.02
730 System malfunction, other	13.17
440 Electrical wiring/equipment problem, other	12.19
413 Oil or other combustible liquid spill	12.16
410 Combustible/flammable gas/liquid condition, other	12.15
736 CO detector activation due to malfunction	12.08
422 Chemical spill or leak	11.42
714 Central station, malicious false alarm	10.89
734 Heat detector activation due to malfunction	10.64
351 Extrication of victim(s) from building/structure	9.45

Incident Type	Hours
715 Local alarm system, malicious false alarm	9.29
531 Smoke or odor removal	8.72
652 Steam, vapor, fog or dust thought to be smoke	8.38
700 False alarm or false call, other	7.72
352 Extrication of victim(s) from vehicle	7.43
442 Overheated motor	6.30
443 Breakdown of light ballast	6.03
711 Municipal alarm system, malicious false alarm	5.83
742 Extinguishing system activation	4.30
162 Outside equipment fire	4.22
143 Grass fire	4.05
115 Incinerator overload or malfunction, fire confined	3.92
511 Lock-out	3.55
600 Good intent call, other	3.33
161 Outside storage fire	3.20
631 Authorized controlled burning	3.15
550 Public service assistance, other	2.95
542 Animal rescue	2.70
141 Forest, woods or wildland fire	2.45
813 Wind storm, tornado/hurricane assessment	2.40
710 Malicious, mischievous false call, other	1.98
653 Smoke from barbecue, tar kettle	1.67
554 Assist invalid	1.60
650 Steam, other gas mistaken for smoke, other	1.35
746 Carbon monoxide detector activation, no CO	1.30
130 Mobile property (vehicle) fire, other	1.25
320 Emergency medical service incident, other	1.25
512 Ring or jewelry removal	1.17
911 Citizen complaint	0.90
160 Special outside fire, other	0.85

Incident Type	Hours
510 Person in distress, other	0.40
243 Fireworks explosion (no fire)	0.25
331 Lock-in (if lock out , use 511)	0.15

Total	7341.78
--------------	----------------



Dalton Fire Department

404 School Street, Dalton, GA 30720

Phone: 706-278-7363

Injuries and Property Loss by Incident Type

(Dates: 01/01/22 - 12/31/22 23:59:59)

CODE	DESCRIPTOR	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS	CIV INJ	CIV INJS	FF DTHS	FF DTHS	FF INJ	FF INJS	PROP LOSS	PROP LOSS	CONT LOSS	CONT LOSS	TOTAL LOSS	TOTAL LOSS %
111	Building fire	36	0.95%	5	3	60.00%	1	100.00 %	0	0.00%	0	0.00%	853,500	74.74%	344,500	80.65%	1,198,000	76.35%
112	Fires in structure other than in a building	4	0.11%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	60,100	5.26%	10,050	2.35%	70,150	4.47%
113	Cooking fire, confined to container	7	0.19%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	20	0.00%	20	0.00%
115	Incinerator overload or malfunction, fire confined	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
117	Commercial Compactor fire, confined to rubbish	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
118	Trash or rubbish fire, contained	13	0.34%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	300	0.03%	200	0.05%	500	0.03%
123	Fire in portable building, fixed location	2	0.05%	1	0	0.00%	0	0.00%	0	0.00%	0	0.00%	65,500	5.74%	21,000	4.92%	86,500	5.51%
130	Mobile property (vehicle) fire, other	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	5,000	0.44%	0	0.00%	5,000	0.32%
131	Passenger vehicle fire	14	0.37%	1	0	0.00%	0	0.00%	0	0.00%	0	0.00%	96,000	8.41%	1,100	0.26%	97,100	6.19%

CODE	DESCRIPTOR	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS	CIV INJ	CIV INJS	FF DTHS	FF DTHS	FF INJ	FF INJS	PROP LOSS	PROP LOSS	CONT LOSS	CONT LOSS	TOTAL LOSS	TOTAL LOSS %
132	Road freight or transport vehicle fire	2	0.05%	0	2	40.00%	0	0.00%	0	0.00%	0	0.00%	41,000	3.59%	50,000	11.71%	91,000	5.80%
141	Forest, woods or wildland fire	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
142	Brush or brush-and-grass mixture fire	15	0.40%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	3,000	0.26%	0	0.00%	3,000	0.19%
143	Grass fire	4	0.11%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
150	Outside rubbish fire, other	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
151	Outside rubbish, trash or waste fire	7	0.19%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
154	Dumpster or other outside trash receptacle fire	9	0.24%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	2,750	0.24%	0	0.00%	2,750	0.18%
160	Special outside fire, other	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	300	0.03%	0	0.00%	300	0.02%
161	Outside storage fire	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	15	0.00%	15	0.00%
162	Outside equipment fire	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	8,000	0.70%	0	0.00%	8,000	0.51%
243	Fireworks explosion (no fire)	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
251	Excessive heat, scorch burns with no ignition	14	0.37%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%

CODE	DESCRIPTOR	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS	CIV INJ	CIV INJS	FF DTHS	FF DTHS	FF INJ	FF INJS	PROP LOSS	PROP LOSS	CONT LOSS	CONT LOSS	TOTAL LOSS	TOTAL LOSS %
311	Medical assist, assist EMS crew	2217	58.76%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
320	Emergency medical service incident, other	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
322	Motor vehicle accident with injuries	200	5.30%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
323	Motor vehicle/pedestrian accident (MV Ped)	17	0.45%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
324	Motor vehicle accident with no injuries.	84	2.23%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
331	Lock-in (if lock out , use 511)	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
351	Extrication of victim(s) from building/structure	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
352	Extrication of victim(s) from vehicle	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
353	Removal of victim(s) from stalled elevator	9	0.24%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
410	Combustible/flammable gas/liquid condition, other	3	0.08%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
411	Gasoline or other flammable liquid spill	6	0.16%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
412	Gas leak (natural gas or LPG)	19	0.50%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%

CODE	DESCRIPTOR	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS	CIV INJ	CIV INJS	FF DTHS	FF DTHS	FF INJ	FF INJS	PROP LOSS	PROP LOSS	CONT LOSS	CONT LOSS	TOTAL LOSS	TOTAL LOSS %
413	Oil or other combustible liquid spill	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
422	Chemical spill or leak	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
424	Carbon monoxide incident	5	0.13%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
440	Electrical wiring/equipment problem, other	4	0.11%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
441	Heat from short circuit (wiring), defective/worn	6	0.16%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
442	Overheated motor	3	0.08%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
443	Breakdown of light ballast	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
444	Power line down	36	0.95%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
445	Arcing, shorted electrical equipment	21	0.56%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	500	0.04%	250	0.06%	750	0.05%
461	Building or structure weakened or collapsed	7	0.19%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
500	Service Call, other	31	0.82%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
510	Person in distress, other	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%

CODE	DESCRIPTOR	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS	CIV INJ	CIV INJS	FF DTHS	FF DTHS	FF INJ	FF INJS	PROP LOSS	PROP LOSS	CONT LOSS	CONT LOSS	TOTAL LOSS	TOTAL LOSS %
511	Lock-out	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
512	Ring or jewelry removal	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
520	Water problem, other	4	0.11%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
522	Water or steam leak	24	0.64%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
531	Smoke or odor removal	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
542	Animal rescue	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
550	Public service assistance, other	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
551	Assist police or other governmental agency	9	0.24%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
553	Public service	18	0.48%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
554	Assist invalid	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
561	Unauthorized burning	23	0.61%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
600	Good intent call, other	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%

CODE	DESCRIPTOR	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS	CIV INJ	CIV INJS	FF DTHS	FF DTHS	FF INJ	FF INJS	PROP LOSS	PROP LOSS	CONT LOSS	CONT LOSS	TOTAL LOSS	TOTAL LOSS %
611	Dispatched & canceled en route	265	7.02%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
622	No incident found on arrival at dispatch address	71	1.88%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
631	Authorized controlled burning	3	0.08%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
650	Steam, other gas mistaken for smoke, other	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
651	Smoke scare, odor of smoke	39	1.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
652	Steam, vapor, fog or dust thought to be smoke	3	0.08%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
653	Smoke from barbecue, tar kettle	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
671	HazMat release investigation w/no HazMat	10	0.27%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
700	False alarm or false call, other	3	0.08%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
710	Malicious, mischievous false call, other	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
711	Municipal alarm system, malicious false alarm	3	0.08%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
714	Central station, malicious false alarm	5	0.13%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%


CODE	DESCRIPTOR	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS	CIV INJ	CIV INJS	FF DTHS	FF DTHS	FF INJ	FF INJS	PROP LOSS	PROP LOSS	CONT LOSS	CONT LOSS	TOTAL LOSS	TOTAL LOSS %
715	Local alarm system, malicious false alarm	4	0.11%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
721	Bomb scare - no bomb	2	0.05%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
730	System malfunction, other	4	0.11%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
731	Sprinkler activation due to malfunction	14	0.37%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
732	Extinguishing system activation due to malfunction	3	0.08%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
733	Smoke detector activation due to malfunction	43	1.14%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
734	Heat detector activation due to malfunction	3	0.08%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
735	Alarm system sounded due to malfunction	67	1.78%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
736	CO detector activation due to malfunction	4	0.11%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
740	Unintentional transmission of alarm, other	11	0.29%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
741	Sprinkler activation, no fire - unintentional	19	0.50%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
742	Extinguishing system activation	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%

CODE	DESCRIPTOR	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS	CIV INJ	CIV INJS	FF DTHS	FF DTHS	FF INJ	FF INJS	PROP LOSS	PROP LOSS	CONT LOSS	CONT LOSS	TOTAL LOSS	TOTAL LOSS %
743	Smoke detector activation, no fire - unintentional	121	3.21%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
744	Detector activation, no fire - unintentional	26	0.69%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
745	Alarm system activation, no fire - unintentional	138	3.66%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
746	Carbon monoxide detector activation, no CO	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
813	Wind storm, tornado/hurricane assessment	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	6,000	0.53%	0	0.00%	6,000	0.38%
911	Citizen complaint	1	0.03%	0	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
Totals		3,773	100%	7	5	100%	1	100%	0	100%	0	100%	1,141,950	100%	427,135	100%	1,569,085	100%
Mutual Aid Given Incidents		185																

Inspection Visit History by Inspection Type

01/01/2022-12/31/2022

- Alcohol
- Annual
- Annual \ Periodic
- Annual Apartment
- Complaint
- Fireworks Display
- Kitchen Hood Installation
- Kitchen Hood Plan Review
- Kitchen Hood Suppression System Plan Review
- Knox Box
- Mobile Food Vendor
- New Construction 50%
- New Fire Alarm
- New Sprinkler System
- OTC
- Reinspection #1
- Reinspection #2
- Reinspection #3
- Site Visit
- Sprinkler System Plan Review
- Unsafe Building




Total of Inspection Type: 1,769

Accidental
Incendiary
Undetermined

Investigations By Cause And Determination

01/01/2022-12/31/2022



Total of Cause And Determination: 15

Training Division

Training hours accrued during 2022 total 35,581.

Outside school attendance totals 528 students.

Summary of classes hosted or delivered by the Training Division:

- 1.) Trench Rescue Technician
- 2.) Confined Space Rescue/Hazardous Materials refresher
- 3.) DFD Fire Officer Training program
- 4.) Risk-based Response to Battery Emergencies
- 5.) Oriented Search
- 6.) Bearer's of the Oath Conference #4
- 7.) Georgia Office of EMS EMT/Paramedic refresher
- 8.) FireWorks RMS implementation training
- 9.) Fire Department Supervision
- 10.) Fire Department Management
- 11.) Georgia Smoke Divers
- 12.) Calling the Mayday
- 13.) Rope/Confined Space/Hazmat – 1670 scenarios
- 14.) Surface Water Rescue Awareness refresher
- 15.) Surface Water Rescue – 1006/1670 scenarios
- 16.) American Heart Association CPR/AED/Basic Life Support refresher

OUTSIDE TRAINING 2022

Date	Location	Title	# Attending
1/18/2022	GPSTC	Decision Making for Initial Company Operations	2
1/24/2022	GPSTC	Preparation for Initial Company Operations	1
2/4/2022	Dalton, GA	Trench Rescue Technician	19
2/10/2022	Pensacola, FL	County Fire Tactics Leadership & Tactics Conference	6
2/14/2022	GPSTC	Structural Collapse Rescue Technician	7
2/18/2022	GPSTC	Fire Investigator Module 1	1
2/25/2022	Dalton, GA	CSR/Hazmat Refresher: Cargill Site	73
3/5/2022	Douglas, GA	Georgia SPARTAN course	1
3/11/2022	DeKalb County, GA	Strategy & Tactics for Initial Company Operations	2
3/17/2022	Marietta, GA	Georgia Fire Investigator's Association Spring Conference	2
3/18/2022	Dalton, GA	Bearers of the Oath Conference #4	73
3/20/2022	Hartsville, SC	South Carolina Extrication School	2
3/24/2022	Cobb County, GA	Company Officer Lecture series	2
3/30/2022	Dalton, GA	EOC Management & Operations	3
4/18/2022	GPSTC	Fire Department Executive	1
4/28/2022	GPSTC	Acting Officer in Charge for the Fire Service	3
5/10/2022	Dalton, GA	Critical Infrastructure Security and Resiliency	1
5/12/2022	Dalton, GA	Threat & Hazard Identification and Risk Assessment (THIRA)	1
5/20/2022	GPSTC	Hazardous Materials Technician	1
5/18/2022	Charlotte, NC	Swiftwater Rescue Technician, Level 1	2
5/20/2022	Charlotte, NC	Swiftwater Rescue Technician, Level 2	2
5/27/2022	GPSTC	NPQ Fire Instructor 1	1
6/1/2022	Dalton, GA	AHA BLS for Healthcare Providers	90
6/1/2022	Dalton, GA	NFPA 20 - Fire Pump Systems	4
6/2/2022	Dalton, GA	NFPA 13 - Basic Hydraulics, Design, and Obstructions to Sprinklers	4
6/11/2022	Baltimore, MD	IAFC 2022 Hazardous Materials Conference	3
6/15/2022	Dalton, GA	Critical Asset Management	1
6/16/2022	Dalton, GA	Critical Infrastructure Resilience and Community Lifelines	1
6/24/2022	Dalton, GA	DFD Fire Officer Training Program	10
7/28/2022	Savannah, GA	2022 GA Fire Investigators' Association Southeastern Training Conference	2
8/2/2022	GPSTC	Line of Duty Death: Local Assistance State Team (LAST)	1
8/11/2022	Dalton, GA	Surface Water Rescue refresher	71
8/12/2022	GPSTC	NPQ Fire Instructor 2	1
8/18/2022	Chatsworth, GA	Tactical Retrieval Assessment & Care (TRAC)	1
8/19/2022	GPSTC	Introduction to Technical Rescue	1
8/20/2022	Dalton, GA	Rope Rescue Technician refresher: 1006/1670 scenarios	33
8/24/2022	Dalton, GA	Fire Cause & Origin Determination for Company Officers	2
8/26/2022	Gordon County, GA	Preparation for Initial Company Operations	1
8/29/2022	Dalton, GA	Hazardous Materials refresher: Decon Line Setup	51
8/30/2022	Gordon County, GA	Strategy & Tactics for Initial Company Operations	3
9/1/2022	Gordon County, GA	Decision Making for Initial Company Operations	3
9/2/2022	GPSTC	Fire Department Executive	2
9/14/2022	Marietta, GA	Asbestos Inspector annual refresher training	3
9/29/2022	Dalton, GA	DFD EMT/Paramedic refresher: Airway & Breathing	78
10/12/2022	Dalton, GA	Risk-Based Response to Battery Emergencies	10
10/13/2022	GPSTC	Confined Space Rescue Technician	1
10/18/2022	Dalton, GA	Oriented Search	74
10/27/2022	Dalton, GA	DFD EMT/Paramedic refresher: Cardiology	73
10/28/2022	Dalton, GA	Rescue Technician Rope - Level 2	1
11/4/2022	GPSTC	Fire Investigator Module 2	1
11/4/2022	Dalton, GA	Bearers of the Oath Conference #4 - RIT or DIE	4
11/11/2022	Gordon County, GA	Fire Department Management	8
11/18/2022	Dalton, GA	Georgia Smoke Diver	1
12/1/2022	Dalton, GA	DFD EMT/Paramedic refresher: Trauma	74
12/2/2022	Gordon County, GA	Fire Department Supervision	7
12/8/2022	Gordon County, GA	Acting Officer in Charge for the Fire Service	5
12/9/2022	Fort Myers, FL	Sutphen Technical/Maintenance Training	2
12/16/2022	GPSTC	Hazardous Materials Technician	2
Total Personnel Attending Classes			528

