

DALTON POLICE DEPARTMENT
301 Jones St.
Dalton, Ga. 30720

Bid Sheet for 2022 or Newer Ford Interceptor Police Pursuit SUV (AWD)

Bid Due Date: August 23, 2022
Time: 10:00 A.M.

Bid Opening Date: August 23, 2022
Time: 10:00 A.M.

Delivery Date:

Delivery Price:

Dealer:

**Total package bid.

** The department reserves the right to reject all bids and is not obligated to take the lowest bid.

** The department reserves the right to cancel orders that are not delivered within the 16 week time period.

Specification
Model Year - 2022 or newer
SUV, FORD INTERCEPTOR POLICE PURSUIT (AWD), 4-DOOR

APPLICABLE DOCUMENTS: Reference to publications in the detail on specifications shall apply to those issues in effect on the date of invitation to bid, unless otherwise specified.
(See State Wide Contract Numbers 99999-ES40199409-0001, 99999-ES40199409-0002, 99999-ES40199409-0003)

DESIGN: New models in current production, complete with all necessary operating components and accessories customarily furnished, together with such modifications as may be necessary to enable the vehicle to function reliably and efficiently in sustained operation. Design to permit accessibility for maintenance purposes with minimal disturbance of other components or assemblies. The term "heavy duty" as used to describe an item, shall be defined to mean in excess of the usual performance, quantity, quality or capacity that is normally supplied with the standard production item.

COMPONENTS, ASSEMBLIES, AND ACCESSORIES: The vehicle, shall have all of its components, assemblies and accessories installed and shall be delivered to The Dalton Police Department meeting or exceeding all applicable requirements of the Environmental Protection Agency Regulations, Federal Motor Vehicle Safety Standards, Federal Motor Carrier Safety Regulation and Industry Specifications, Standards and Regulation that are in effect on the date of manufacture.

NOTE: All Components, assemblies, and accessories shall be Factory Installed unless otherwise noted.

STANDARD EQUIPMENT: The vehicle shall include all components, assemblies and accessories as offered by the vehicle manufacturer and referred to as "standard equipment or features".

EMISSION CONTROLS: All vehicles shall comply with Environmental Protection Agency requirements on Air Pollution.

INTERIOR & EXTERIOR SOUND LEVEL: Vehicles shall comply with Federal Interstate Noise Standards.

COOLING SYSTEMS: Liquid pressurized forced circulation type, consisting of the necessary components of such design and capacity to maintain the engine at optimum safe temperature under all operating conditions without any loss of coolant. Optimum engine temperatures shall be maintained with the vehicle loaded and continuously operating at all drivable altitudes and grades in ambient temperatures ranging from minus 30 to 120 degrees F. Thermostat controlled and suitable for operation with permanent type antifreeze solution. Easily accessible drain outlets shall be provided to allow complete cooling system drainage. Coolant recovery system is to be furnished.

WHEELS: Manufactures recommended size and capacity for the vehicle offered. Rim contours and sizes shall conform to the current recommendations of the Tire and Rim Association, Inc.

TIRES: All tires furnished shall be black wall, tubeless type, and radial. Capacity to the maximum load imposed by the evenly and fully loaded vehicle. Conform to the Tire and Rim Association, Inc. Spare tire and wheel, factory installed, shall be furnished.

City of Dalton

TOOLS: Jack and Lug Wrench, Factory Installed, for each vehicle.

EXHAUST SYSTEM: Manufacturer's heaviest duty system available for engine **furnished; corrosion resistant and securely fastened and routed to protect** components from hazards. System shall comply with Federal Motor Vehicle Safety Regulations.

CONTROLS, INSTRUMENTS AND OPERATING MECHANISMS: Located for left-hand drive; complete and conveniently accessible to driver. Instruments and controls clearly identified as to function.

HEATER AND DEFROSTER: Hot water heating systems with fresh air intakes. Discharge outlets **to floor and defroster louvers shall be provided.** Systems shall be equipped with multispeed blowers.

EXTERIOR FINISHES: Standard production colors

MATERIALS: **New** and of quality conforming to current engineering and manufacturing practice. **No defects and** suitable for the intended service.

WARRANTY: Vehicle shall be fully warranted against defective materials and workmanship by the manufacturer for a period of not less than 36 months or 36,000 miles from date of delivery and acceptance. However, if additional warranty coverage on the whole or any components of the vehicle, in the form of time and/or mileage including any pro rate arrangements, is normally extended to commercial customers, The Dalton Police Department shall receive corresponding warranty benefits.

RESPONSIBILITY FOR INSPECTION: **Unless otherwise** specified in the contract or purchase order, the supplier shall be responsible for the performance of all inspection and test requirements necessary to ensure compliance with requirements of this and the applicable detail specifications. This action does not preclude subsequent inspection and testing by The Dalton Police Department to further determine conformance with specification requirements for performance, quality standards of workmanship, material and construction techniques.

PRE-DELIVERY SERVICING AND ADJUSTMENT: The dealer shall not attach any dealer identification, advertising or similar material to the vehicle. Prior to acceptance by The Dalton Police Department, the dealer shall service and adjust each vehicle for operational use, to include as a minimum, the following:

1. Focusing of lights.
2. Tuning of engine.
3. Adjustment of accessories.
4. Checking of electrical, braking and suspension system.
5. Charging of battery.
6. Alignment of front end.
7. Inflation of tires.
8. Balancing of all wheels, including the spare.
9. Complete servicing of engine, chassis and operating mechanisms with recommended grades of lubricants or fluids for the ambient air temperature at the point and time of delivery.
10. Servicing of cooling system with permanent type antifreeze and summer coolant for minus 20 degrees F protection.
11. Servicing of windshield washer reservoir with water and appropriate additives.
12. A minimum of 1/4 tank of fuel.

City of Dalton

Specification

Model Year -2021 or newer

SUV, FORD INTERCEPTOR POLICE PURSUIT, (AWD) 4-DOOR

DOCUMENTS: Each vehicle shall be delivered with complete certification of origin, tag application, warranty, owner's manual and any other necessary credentials.

- A. **Scope:** This specification covers Full-Size 4-Door SUV having excellent acceleration, speed, braking, and handling performance. Only those vehicles classified as "FULL-SIZE" by the U.S. Environmental Protection Agency will be considered.
- B. **Vendor Information.** Vehicles shall be equipped with factory installed plus additional items listed below. Unless otherwise noted, vehicle shall be comparable with the following basic requirements. Bidders shall indicate EXACTLY what they are offering under '**BIDDER'S RESPONSE.**' (**Failure to respond will result in automatic rejection.**).

Basic Requirements: PAGE 1

| REQUIREMENT | REQUIREMENT DESCRIPTION | BIDDER'S RESPONSE REQUIRED |
|------------------|---------------------------------------------------------------------------------------------------------------------|----------------------------|
| VEHICLE IDENTITY | FORD INTERCEPTOR POLICE PURSUIT SUV (AWD) | |
| ENGINE | 3.3L V6 direct injection , TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE | |
| ENGINE COOLING | LARGEST AVAILABLE WITH POLICE PURSUIT, FRONT AIR DEFLECTOR COOLANT RECOVERY | |
| EXHAUST | COMPATIBLE WITH ENGINE TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE MUST BE DUAL EXHAUST, IF AVAILABLE | |
| FUEL SYSTEM | COMPATIBLE WITH ENGINE TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE USING 89 OCTANE GASOLINE | |
| TRANSMISSION | AUTOMATIC, COMPATIBLE WITH ENGINE TO GIVE MAXIMUM PERFORMANCE. | |
| SUSPENSION | HEAVY DUTY, POLICE PACKAGE | |
| STABILIZERS | HEAVY DUTY, POLICE PACKAGE | |

| REQUIREMENT | REQUIREMENT DESCRIPTION | BIDDER'S RESPONSE REQUIRED |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| DIFFERENTIAL | HEAVIEST DUTY AVAILABLE | |
| FINAL DRIVE | COMPATIBLE WITH ENGINE TO PROVIDE MAXIMUM PERFORMANCE, TOP SPEED AND ACCELERATION | |
| STEERING | POWER ASSISTED WITH AUXILIARY OIL COOLER. HEAVIEST DUTY AVAILABLE WITH POLICE PACKAGE. STEERING WHEEL, TILT TYPE, ANTI-SLIP | |
| ALTERNATOR | 100 AMP MINIMUM, HEAVY DUTY DESIGN CAPABLE OF WITHSTANDING PATROL VEHICLE OPERATION AT ALL SPEEDS AND CONDITIONS | |
| BATTERY | 12 VOLT, HIGHEST AVAILABLE AMPERAGE HEAVY DUTY, DESIGN CAPABLE OF WITHSTANDING PATROL VEHICLE OPERATION AT ALL SPEEDS AND CONDITIONS | |
| WHEELS | 5 EACH, LARGEST AVAILABLE FOR POLICE PACKAGE COLOR: BLACK | |
| WHEEL COVERS | SMALL: SMALLEST AVAILABLE | |
| POWER DOOR LOCKS | DRIVER CONTROLLED ONLY. REAR DOORS AND REAR WINDOWS AND PASSENGER WINDOWS MUST BE INOPERABLE ON DELIVER WITH CAPABILITY TO RECONNECT WHEN NECESSARY | |
| TIRES | 5 EACH, MANUFACTURER'S STANDARD SIZE (SPARE, SAME SIZE, IF AVAILABLE). HIGHEST SPEED RATED, POLICE TYPE, TUBELESS RADIAL, BLACKWALL | |
| RADIO | AM/FM, ANTENNA, FRONT & REAR SPEAKERS, BLUETOOTH CAPABLE AUDIO SYSTEM FACTORY INSTALLED | |
| TRUNK RELEASE | LOCATION: CONVENIENT TO DRIVER | |
| SEATS AND UPHOLSTERY | FRONT SEAT: BUCKET SEATS, CLOTH COVERED, WITH 6-WAY POWER (DRIVER SIDE ONLY) REAR SEAT: FULL BENCH- VINYL COVERED. UPHOLSTERY: HEAVIEST DUTY AVAILABLE. COLOR GRAY and COMPATIBLE WITH VEHICLE EXTERIOR | |
| GLASS | TINTED, ALL GLASS | |
| MIRRORS | INSIDE: DAY/NIGHT TYPE OUTSIDE: LH & RH REMOTE CONTROLLED | |
| PAINT (EXTERIOR) | MANUFACTURER'S STANDARD COLOR: BLACK BODY | |
| SAFETY RESTRAINTS | DUAL AIR BAGS | |
| SPEEDOMETER | 0-140 MPH, CERTIFIED CALIBRATION | |
| WINDSHIELD WASHER | MANUFACTURER STANDARD | |
| WINDSHIELD WIPERS | MULTI-SPEED, INTERMITTENT | |
| REQUIREMENT | REQUIREMENT DESCRIPTION | BIDDER'S RESPONSE REQUIRED |

Basic Requirements: PAGE 4

| | | |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| REAR WINDOW DEFROSTER | ELECTRIC GRID. CONTROL WITHIN DRIVER'S REACH | |
| LOCKS | 5 TOTAL SETS INCLUDED. | |
| SUNVISORS | PADDED, LH & RH | |
| HOOD RELEASE | INSIDE MOUNTED | |
| PARKING BRAKE | WARNING LIGHT OR AUTOMATIC RELEASE | |
| TIRE CHANGING | JACK AND LUG WRENCH | |
| AIR CONDITIONING | FACTORY INSTALLED | |
| BRAKES | ANTI-LOCK BRAKES | |
| FUEL | MINIMUM 1/4 TANK UPON DELIVERY | |
| CIGARETTE LIGHTER | FACTORY INSTALLED | |
| DOME LIGHT | BEAM LAMPS DOME MOUNTED | |
| POWER SIDE WINDOWS | DRIVER CONTROLLED ONLY, IF AVAILABLE | |
| FLOOR MATS | FRONT AND REAR HEAVY DUTY RUBBER | |
| LIGHTS | HEADLIGHT: BRIGHTEST AVAILABLE ENGINE: COMPARTMENT LIGHT TRUNK: COMPARTMENT LIGHT DOOR AND COURTESY: LIGHT SWITCH INOPERATIVE SPOT LIGHT: Drivers Spot Lamp with LED Bulb (Black) All lights set to "Blackout Mode" COURTESY LAMP DISABLE | |
| DOOR MOLDING X X | FRONT & REAR COLOR SAME (TO BE LEFT OFF AND PLACE ON BY DALTON POLICE DEPARTMENT) | |
| ROOF | REINFORCEMENT FOR ROOF MOUNTED SIGNAL | |
| SHOP MANUAL | ONE COPY: TO BE FURNISHED WITH FIRST VEHICLE DELIVERED | |
| WARRANTY | VEHICLE, AND ALL EQUIPMENT INCLUDING AIR CONDITIONING: FULLY WARRANTED AGAINST DEFECTIVE MATERIALS AND WORKMANSHIP FOR NOT LESS THAN 36 MONTHS OR 36,000 MILES FROM DATE OF PLACEMENT INTO SERVICE BY THE DALTON POLICE DEPARTMENT | |
| Police Headlamp and Taillight Assemblies | Include base projector beam headlamp, plus precut holes for multifunction Park/Turn/Warn (PTW) bulbs for wig wag simulation and 2 white hemispheric lighthouse LED side warning lights. Taillight assembly with pre-drilled holes. | |
| Police Grill Lamp Wiring Assembly | Include factory predrilled holes/wiring assembly for siren, light, and speaker mount | |
| Backup Camera | Factory Installed | |
| DEALER INVOICE | INCLUDE 4 KEY NUMBERS | |
| | | |

The above specifications are to be in the base price.