CITY OF DALTON POLICE DEPARTMENT

301 Jones St. Dalton, Ga. 30720

Bid Sheet for 2023 or Newer Police Pursuit SUV (AWD)

Bid Due Date: September 1, 2023 Time: 10:00 A.M.

Bid Opening Date: September 1, 2023 Time: 10:00 A.M.

Delivery Date:

Delivery Price:

Dealer:

- **Total package bid.
- $\star\star$ The department reserves the right to reject all bids and is not obligated to take the lowest bid.
- $\star\star$ The department reserves the right to cancel orders that are not delivered within the 16-week time period.

City of Dalton Police Department

Specification Model Year 2023 or newer SUV, POLICE PURSUIT (AWD), 4-DOOR

APPLICABLE DOCUENTS: Reference to publications in the detail on specifications shall apply to those issues in effect on the date of invitation to bid, unless otherwise specified. (See State Wide Contract Numbers 99999-001-SPD0000183-0006, 99999-001-SPD0000183-0003, 99999-001-SPD0000183-0001)

DESIGN: New models in current production, complete with all necessary operating components and accessories customarily furnished, together with such modifications as may be necessary to enable the vehicle to function reliably and efficiently in sustained operation. Design to permit accessibility for maintenance purposes with minimal disturbance of other components or assemblies. The term "heavy duty" as used to describe an item, shall be defined to mean in excess of the usual performance, quantity, quality or capacity that is normally supplied with the standard production item.

COMPONENTS, ASSEMBLIES, AND ACCESSORIES: The vehicle, shall have all of its components, assemblies and accessories installed and shall be delivered to The Dalton Police Department meeting or exceeding all applicable requirements of the Environmental Protection Agency Regulations, Federal Motor Vehicle Safety Standards, Federal Motor Carrier Safety Regulation and Industry Specifications, Standards and Regulation that are in effect on the date of manufacture.

NOTE: All Components, assemblies, and accessories shall be Factory Installed unless otherwise noted.

STANDARD EQUIPMENT: The vehicle shall include all components, assemblies and accessories as offered by the vehicle manufacturer and referred to as "standard equipment or features".

EMISSION CONTROLS: The vehicle shall comply with Environmental Protection Agency requirements on Air Pollution.

INTERIOR & EXTERIOR SOUND LEVEL: The vehicle shall comply with Federal Interstate Noise Standards.

COOLING SYSTEMS: Liquid pressurized forced circulation type, consisting of the necessary components of such design and capacity to maintain the engine at optimum safe temperature under all operating conditions without any loss of coolant. Optimum engine temperatures shall be maintained with the vehicle loaded and continuously operating at all drivable altitudes and grades in ambient temperatures ranging from minus 30 to 120 degrees F. Thermostat controlled and suitable for operation with permanent type antifreeze solution. Easily accessible drain outlets shall be provided to allow complete cooling system drainage. Coolant recovery system is to be furnished.

WHEELS: Manufacturer-recommended size and capacity for the vehicle offered. Rim contours and sizes shall conform to the current recommendations of the Tire and Rim Association, Inc.

TIRES: All tires furnished shall be black wall, tubeless type, and radial. Capacity to the maximum load imposed by the evenly and fully-loaded vehicle. Conform to the Tire and Rim Association, Inc. Spare tire and wheel, factory installed, shall be furnished.

TOOLS: Jack and Lug Wrench, Factory-installed, for each vehicle.

EXHAUST SYSTEM: Manufacturer's heaviest duty system available for engine **furnished;** corrosion resistant and securely fastened and routed to protect components from hazards. The system shall comply with Federal Motor Vehicle Safety Regulations.

City of Dalton Police Department

CONTROLS, INSTRUMENTS AND OPERATING MECHANISMS: Located for left-hand drive; complete and conveniently accessible to driver. Instruments and controls clearly identified as to function.

HEATER AND DEFROSTER: Hot water heating systems with fresh air intakes. Discharge outlets to floor and defroster louvers shall be provided. Systems shall be equipped with multispeed blowers.

EXTERIOR FINISHES: Standard production colors

MATERIALS: New and of quality conforming to current engineering and manufacturing practice. No defects and suitable for the intended service.

WARRANTY: The vehicle shall be fully-warranted against defective materials and workmanship by the manufacturer for a period of not less than 36 months or 36,000 miles from date of delivery and acceptance. However, if additional warranty coverage on the whole or any components of the vehicle, in the form of time and/or mileage, including any pro rate arrangements, is normally extended to commercial customers, The Dalton Police Department shall receive corresponding warranty benefits.

RESPONSIBILITY FOR INSPECTION: Unless otherwise specified in the contract or purchase order, the supplier shall be responsible for the performance of all inspection and test requirements necessary to ensure compliance with requirements of this and the applicable detail specifications. This action does not preclude subsequent inspection and testing by The Dalton Police Department to further determine conformance with specification requirements for performance, quality standards of workmanship, material and construction techniques.

PRE-DELIVERY SERVICING AND ADJUSTMENT: The dealer shall not attach any dealer identification, advertising or similar material to the vehicle. Prior to acceptance by The Dalton Police Department, the dealer shall service and adjust each vehicle for operational use to include, as a minimum, the following:

- 1. Focusing of lights.
- 2. Tuning of engine.
- 3. Adjustment of accessories.
- 4. Checking of electrical, braking, and suspension systems.
- 5. Charging of battery.
- 6. Alignment of front end.
- 7. Inflation of tires.
- 8. Balancing of all wheels, including the spare.
- 9. Complete servicing of engine, chassis and operating mechanisms with recommended grades of lubricants or fluids for the ambient air temperature at the point and time of delivery.
- 10. Servicing of cooling system with permanent-type antifreeze and summer coolant for minus 20 degrees Fahrenheit protection.
- 11. Servicing of windshield washer reservoir with appropriate fluids and additives.
- 12. A minimum of 1/4 tank of fuel.

City of Dalton Police Department

SPECIFICATIONS

Model Year 2023 or newer SUV, POLICE PURSUIT, (AWD) 4-DOOR

DOCUMENTS: The vehicle shall be delivered with complete certification of origin, tag application, warranty, owner's manual, and any other necessary credentials.

- A. <u>Scope</u>: This specification covers Full-Size 4-Door SUVs having excellent acceleration, speed, braking, and handling performance. Only those vehicles classified as "FULL-SIZE" by the U.S. Environmental Protection Agency will be considered.
- B. <u>Vendor Information</u>. The vehicle shall be equipped with factory-installed plus additional items listed below. Unless otherwise noted, the vehicle shall be comparable with the following basic requirements. Bidders shall indicate EXACTLY what they are offering under 'BIDDER'S RESPONSE." (<u>Failure to respond will result in automatic rejection.</u>)

Basic Requirements: PAGE 1

REQUIREMENT	REQUIREMENT DESCRIPTION	BIDDER'S RESPONSE REQUIRED
VEHICLE IDENTITY	POLICE PURSUIT SUV (AWD)	
ENGINE	MANUFACURER'S STANDARD SIZE FOR POLICE PURSUIT SUV, TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE	
ENGINE COOLING	LARGEST AVAILABLE WITH POLICE PURSUIT SUV, FRONT AIR DEFLECTOR COOLANT RECOVERY	
EXHAUST	COMPATIBLE WITH ENGINE TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE. MUST BE DUAL EXHAUST, IF AVAILABLE	
FUEL SYSTEM	COMPATIBLE WITH ENGINE TO PROVIDE MAXIMUM TOP SPEED AND ACCELERATION PERFORMANCE, USING 89 OCTANE GASOLINE	
TRANSMISSION	AUTOMATIC, COMPATIBLE WITH ENGINE TO GIVE MAXIMUM PERFORMANCE.	
SUSPENSION	HEAVY DUTY, POLICE PACKAGE	
STABILIZERS	HEAVY DUTY, POLICE PACKAGE	

Basic Requirements: PA REOUIREMENT		BIDDER'S RESPONSE REQUIRED
DIFFERENTIAL	HEAVIEST DUTY AVAILABLE	TIPER O IMPIONOL REQUIRED
INAL DRIVE	COMPATIBLE WITH ENGINE TO PROVIDE	
INAL DRIVE	MAXIMUM PERFORMANCE, TOP SPEED, AND	
	ACCELERATION	
CERRO TAG		
STEERING	POWER-ASSISTED WITH AUXILIARY OIL	
	COOLER. HEAVIEST DUTY AVAILABLE WITH	
	POLICE PACKAGE. STEERING WHEEL,	
ALTERNATOR	TILT TYPE, ANTI-SLIP	
	100 AMP MINIMUM, HEAVY DUTY DESIGN	
	CAPABLE OF WITHSTANDING PATROL	
	VEHICLE OPERATION AT ALL SPEEDS AND	
	CONDITIONS	
BATTERY	12 VOLT MINIMUM, HIGHEST AVAILABLE	
	AMPERAGE HEAVY DUTY, DESIGN CAPABLE	
	OF WITHSTANDING PATROL VEHICLE	
	OPERATION AT ALL SPEEDS AND	
	CONDITIONS	
WHEELS	5 EACH, LARGEST AVAILABLE FOR POLICE	
	PACKAGE	
	COLOR: BLACK	
HEEL COVERS	SMALL: SMALLEST AVAILABLE	
OWER DOOR LOCKS	DRIVER CONTROLLED ONLY. REAR DOORS	
	AND REAR WINDOWS AND PASSENGER	
	WINDOWS MUST BE INOPERABLE ON	
	DELIVER WITH CAPABILITY TO RECONNECT	
	WHEN NECESSARY	
IRES	5 EACH, MANUFACTURER'S STANDARD SIZE	
	(SPARE, SAME SIZE, IF AVAILABLE).	
	HIGHEST SPEED RATED, POLICE TYPE,	
	TUBELESS RADIAL, BLACKWALL	
RADIO	AM/FM, ANTENNA, FRONT & REAR	
112 1 0	SPEAKERS, BLUETOOTH CAPABLE AUDIO	
	SYSTEM, FACTORY INSTALLED	
RUNK RELEASE	LOCATION: CONVENIENT TO DRIVER	
TONK KEELISE	ECCUTION: CONVENTENT TO DIVIVEN	
SEATS AND UPHOLSTERY	FRONT SEAT: BUCKET SEATS, CLOTH	
SEATS AND UPHOLSTERY	COVERED, WITH 6-WAY POWER (DRIVER	
	SIDE ONLY)	
	REAR SEAT: FULL BENCH- VINYL	
	COVERED.	
	UPHOLSTERY: HEAVIEST DUTY AVAILABLE.	
	COLOR COMPATIBLE WITH VEHICLE	
	EXTERIOR	
T 7 0 0		
GLASS	TINTED, ALL GLASS	
MIRRORS	INSIDE: DAY/NIGHT TYPE	
	OUTSIDE: LH & RH REMOTE CONTROLLED	
PAINT (EXTERIOR)	MANUFACTURER STANDARD	
	COLOR: BLACK BODY	
SAFETY RESTRAINTS	L	I .
AFETY RESTRAINTS	MANUFACTURER STANDARD AIR BAGS, AS	
AFETY RESTRAINTS	MANUFACTURER STANDARD AIR BAGS, AS REQUIRED BY FMVSS	

CALIBRATION

MANUFACTURER STANDARD MULTI-SPEED, INTERMITTENT

WINDSHIELD WASHER WINDSHIELD WIPERS

Basic Requirements: PAGE 3

REQUIREMENT DESCRIPTION	BIDDER'S RESPONSE REQUIRED
ELECTRIC GRID. CONTROL WITHIN DRIVER'S REACH	
2 SETS OF KEY FOBS AND 4 SETS OF CUT KEYS	
PADDED, LH & RH	
INSIDE MOUNTED	
WARNING LIGHT OR AUTOMATIC RELEASE	
JACK AND LUG WRENCH	
FACTORY INSTALLED	
ANTI-LOCK BRAKES	
MINIMUM 1/4 TANK UPON DELIVERY	
BEAM LAMPS DOME MOUNTED	
DRIVER CONTROLLED ONLY, IF AVAILABLE	
•	
-	
•	
COORTEST LAMP DISABLE	
FRONT & REAR COLOR SAME (TO BE LEFT	
OFF AND PLACED ON BY DALTON POLICE	
,	
1	
· · · · · · · · · · · · · · · · · · ·	
•	
FACTORY INSTALLED	
INCLUDE 4 KEY NUMBERS	
	ELECTRIC GRID. CONTROL WITHIN DRIVER'S REACH 2 SETS OF KEY FOBS AND 4 SETS OF CUT KEYS PADDED, LH & RH INSIDE MOUNTED WARNING LIGHT OR AUTOMATIC RELEASE JACK AND LUG WRENCH FACTORY INSTALLED ANTI-LOCK BRAKES MINIMUM 1/4 TANK UPON DELIVERY BEAM LAMPS DOME MOUNTED DRIVER CONTROLLED ONLY, IF AVAILABLE FRONT AND REAR HEAVY-DUTY RUBBER HEADLIGHT: BRIGHTEST AVAILABLE ENGINE: COMPARTMENT LIGHT REAR STORAGE AREA: COMPARTMENT LIGHT DOOR AND COURTESY: LIGHT SWITCH INOPERATIVE SPOT LIGHT: DRIVERS SPOT LAMP WITH LED BULB (BLACK) ALL LIGHTS SET TO "BLACKOUT MODE" COURTESY LAMP DISABLE FRONT & REAR COLOR SAME (TO BE LEFT

The above specifications are to be in the base price.